ELSEVIER

Journal of Inorganic Biochemistry 82 (2000) 251

JOURNAL OF Inorganic Biochemistry

www.elsevier.nl/locate/jinorgbio

Author Index of Volume 82

Adachi, Y., 113
Akashi, T., 27
Ando, T., 133
Aono, S., 51
Arii, H., 153

Daff, S., 163
Dokoh, T., 123
Dokoh, T., 127
Dou, Y., 181

Einaga, H., 153

Fujisawa, K., 230
Fukumori, Y., 73

Hara, T., 171
Harada, S., 225
Hase, T., 27
Hayashi, T., 133
Higuchi, T., 123
Higuchi, T., 127
Hirobe, M., 123
Hisaeda, Y., 133
Homma, R., 171
Honma, Y., 51
Hori, H., 19
Hori, H., 65
Hori, H., 181
Hosaka, H., 215
Hosono, K., 215

Ikeda-Saito, M., 181
Imai, S., 230
Imanaka, H., 197

Jitsukawa, K., 153

Kai, Y., 225
Kamiya, T., 51
Kaneta, M., 207
Kataoka, K., 79
Katsube, N., 240
Kawai, G., 215
Kawakami, J., 197
Kawato, S., 171
Kikuchi, K., 123
Kikuchi, K., 127
Kikuta, E., 240
Kimoto, T., 171
Kimura, E., 240
Kitagawa, T., 9
Kitagawa, T., 65
Kitagawa, T., 153
Koike, T., 240
Kondo, A., 79
Krivosheev, A., 171
Kumagai, T., 221
Kurisu, G., 225
Kurokawa, T., 65

Li, R., 93

Masuda, H., 153
Masuya, F., 181
Matoba, Y., 221
Matsubara, R., 240
Matsuda, T., 133
Matsuura, K., 141
Migita, C.T., 33
Miura, T., 207
Miwa, T., 153
Miyashita, Y., 230
Mogi, T., 19
Morishima, I., 141
Moro-oka, Y., 230

Nagai, M., 93
Nagai, Y., 93
Nagano, T., 123
Nagano, T., 127
Nagaoka, M., 57
Nagatomo, S., 153
Nakajima, H., 51
Nakayama, M., 27
Niimura, Y., 171
Nishino, T., 43
Noguchi, M., 113

Obayashi, E., 103
Ohkubo, K., 51
Ohno, T., 123
Ohta, T., 141
Ohta, Y., 171
Okada, A., 207
Okamoto, K., 43
Okamoto, K.-i., 230
Okumoto, Y., 189
Omata, Y., 113
Ono, T.-a., 85

Palmer, G., 113
Park, S.-Y., 103

Sagami, I., 163
Sakamoto, H., 113
Sakamoto, J., 65
Shimizu, H., 103
Shimizu, T., 163
Shinzawa-Itoh, K., 1
Shiro, Y., 103
Shoun, H., 103
Sone, N., 65
Sugimoto, N., 189
Sugimoto, N., 197
Sugiura, Y., 57
Sugiyama, M., 221
Suzuki, N., 123
Suzuki, N., 127
Suzuki, S., 79
Suzuki, S., 230

Takai, K., 215
Takaku, H., 215
Takeuchi, H., 207
Tanimura, Y.-s., 73
Tawara, T., 51
Tsubaki, M., 19
Tsubaki, M., 65
Tsukihara, T., 1

Uchida, T., 65
Urano, Y., 123
Urano, Y., 127
Urayama, Y., 207

Yamada, S., 133
Yamada, Y., 230
Yamaguchi, K., 79
Yokota, Y., 197
Yonemura, H., 133
Yoshida, T., 33
Yoshikawa, S., 1
Yoshizawa, K., 141
Yumoto, T., 163

Elsevier Science B.V.
PII: S0162-0134(00)00199-9

ELSEVIER

Journal of Inorganic Biochemistry 82 (2000) 253–256

JOURNAL OF Inorganic Biochemistry

www.elsevier.nl/locate/jinorgbio

Subject Index of Volume 82

Active intermediates
remarkable axial thiolate ligand effect on the oxidation of hydrocarbons by active intermediate of iron porphyrin and cytochrome P450, 123
Adrenal cortex
real-time fluorescence analysis on molecular mechanisms for regulation of cytochrome P450scc activity upon steroidogenic stimulation in adrenocortical cells, 171
Aptamer
in vitro selection of aptamers that act with Zn^{2+}, 197
Axial thiolate ligand
remarkable axial thiolate ligand effect on the oxidation of hydrocarbons by active intermediate of iron porphyrin and cytochrome P450, 123

Biliverdin
mechanism of heme degradation by heme oxygenase, 33
separation and identification of the regioisomers of verdoheme by reversed-phase ion-pair high-performance liquid chromatography, and characterization of their complexes with heme oxygenase, 113
Binding domain
introduction of a specific binding domain on myoglobin surface by new chemical modification, 133
Blue copper protein
spectroscopic and electrochemical properties of the Met86Gln mutant of *Achromobacter cycloclastes* pseudoazurin, 79

Calcium binding
crystallization and preliminary X-ray diffraction studies of *Streptomyces* phospholipase A_2 in a calcium-binding form, 221
Calcium signal
real-time fluorescence analysis on molecular mechanisms for regulation of cytochrome P450scc activity upon steroidogenic stimulation in adrenocortical cells, 171
Calcium
effects of lanthanide substitution at Ca^{2+}-site on the properties of the oxygen evolving center of Photosystem II, 85
Chemical mutation
introduction of a specific binding domain on myoglobin surface by new chemical modification, 133
Chloroperoxidase
the electronic and vibrational structures of iron–oxo porphyrin with a methoxide or cysteinate axial ligand, 141
Circular dichroism
the third zinc finger of TFIIIA stabilizes a hairpin structure of the non-coding strand in the internal control region of 5S RNA gene, 207
CO sensor
CO sensing and regulation of gene expression by the transcriptional activator CooA, 51

Compound I
the electronic and vibrational structures of iron–oxo porphyrin with a methoxide or cysteinate axial ligand, 141
Conserved threonine
mutation effects of a conserved threonine (Thr243) of cytochrome P450nor on its structure and function, 103
CooA
CO sensing and regulation of gene expression by the transcriptional activator CooA, 51
Copper(I) complex
M–S vibrational study in three-coordinate thiolato compounds $(NEt_4)_2[M(SC_6H_4\text{-}p\text{-}X)_3]$ and $(NEt_4)_2[M_4(\mu\text{-}SC_6H_4\text{-}p\text{-}Cl)_6]$: M=Cu(I) and Ag(I), X=Cl and Br, 230
Crystallization
crystallization and preliminary X-ray diffraction studies of *Streptomyces* phospholipase A_2 in a calcium-binding form, 221
Cys_2-His_2 zinc finger protein
artificial zinc finger peptides: creation, DNA recognition, and gene regulation, 57
Cytochrome a_1
heme-copper oxidase family structure of *Magnetospirillum magnetotacticum* 'cytochrome a_1'-like hemoprotein without cytochrome *c* oxidase activity, 73
Cytochrome *bd*
probing molecular structure of dioxygen reduction site of bacterial quinol oxidases through ligand binding to the redox metal centers, 19
Cytochrome *bo*
probing molecular structure of dioxygen reduction site of bacterial quinol oxidases through ligand binding to the redox metal centers, 19
Cytochrome bo_3
active site structure of SoxB-type cytochrome bo_3 oxidase from thermophilic *Bacillus*, 65
Cytochrome *c* oxidase
structures of reaction intermediates of bovine cytochrome *c* oxidase probed by time-resolved vibrational spectroscopy, 9
X-ray structure and the reaction mechanism of bovine heart cytochrome *c* oxidase, 1
Cytochrome P450
remarkable axial thiolate ligand effect on the oxidation of hydrocarbons by active intermediate of iron porphyrin and cytochrome P450, 123
the electronic and vibrational structures of iron–oxo porphyrin with a methoxide or cysteinate axial ligand, 141
Cytochrome P450nor
mutation effects of a conserved threonine (Thr243) of cytochrome P450nor on its structure and function, 103

Density functional theory
the electronic and vibrational structures of iron–oxo porphyrin with a methoxide or cysteinate axial ligand, 141

Elsevier Science B.V.
PII: S0162-0134(00)00200-2

Deoxyribozyme
effects of metal ions and catalytic loop sequences on the complex formation of a deoxyribozyme and its RNA substrate, 189
Deoxyribozyme–RNA substrate binding
effects of metal ions and catalytic loop sequences on the complex formation of a deoxyribozyme and its RNA substrate, 189
Diiron(II) complexes
a novel diiron complex as a functional model for hemerythrin, 153
Distal heme pocket
EPR studies on the photoinduced intermediates of NO complexes in recombinant ferric-Mb trapped at low temperatures, 181
DNA bending finger
artificial zinc finger peptides: creation, DNA recognition, and gene regulation, 57
DNA-binding protein
CO sensing and regulation of gene expression by the transcriptional activator CooA, 51

Electron transfer
roles of the heme proximal side residues tryptophan409 and tryptophan421 of neuronal nitric oxide synthase in the electron transfer reaction, 163
EPR spectroscopy
active site structure of SoxB-type cytochrome bo_3 oxidase from thermophilic *Bacillus*, 65
EPR
EPR studies on the photoinduced intermediates of NO complexes in recombinant ferric-Mb trapped at low emperatures, 181

Far-UV CD
changes of tyrosine and tryptophan residues in human hemoglobin by oxygen binding: near- and far-UV circular dichroism of isolated chains and recombined hemoglobin, 93
Ferredoxin
plant sulfite reductase: molecular structure, catalytic function and interaction with ferredoxin, 27
Ferric-Mb mutants
EPR studies on the photoinduced intermediates of NO complexes in recombinant ferric-Mb trapped at low temperatures, 181
Flavin adenine dinucleotide
the role of the [2Fe–2S] cluster centers in xanthine oxidoreductase, 43
Fluorescence analysis
real-time fluorescence analysis on molecular mechanisms for regulation of cytochrome P450scc activity upon steroidogenic stimulation in adrenocortical cells, 171
Fluorescence study
introduction of a specific binding domain on myoglobin surface by new chemical modification, 133
Fluorescent cholesterol
real-time fluorescence analysis on molecular mechanisms for regulation of cytochrome P450scc activity upon steroidogenic stimulation in adrenocortical cells, 171
Functional models
a novel diiron complex as a functional model for hemerythrin, 153
Function
mutation effects of a conserved threonine (Thr243) of cytochrome P450nor on its structure and function, 103

Heme oxygenase
mechanism of heme degradation by heme oxygenase, 33
separation and identification of the regioisomers of verdoheme by reversed-phase ion-pair high-performance liquid chromatography, and characterization of their complexes with heme oxygenase, 113
Heme-copper oxidase
heme-copper oxidase family structure of *Magnetospirillum magnetotacticum* 'cytochrome a_1'-like hemoprotein without cytochrome *c* oxidase activity, 73
Heme protein
CO sensing and regulation of gene expression by the transcriptional activator CooA, 51
Heme reduction
roles of the heme proximal side residues tryptophan409 and tryptophan421 of neuronal nitric oxide synthase in the electron transfer reaction, 163
Hemerythrin
a novel diiron complex as a functional model for hemerythrin, 153
Hemoglobin
changes of tyrosine and tryptophan residues in human hemoglobin by oxygen binding: near- and far-UV circular dichroism of isolated chains and recombined hemoglobin, 93
Hydrocarbon oxidation
remarkable axial thiolate ligand effect on the oxidation of hydrocarbons by active intermediate of iron porphyrin and cytochrome P450, 123

In vitro selection
in vitro selection of aptamers that act with Zn^{2+}, 197
Inhibition of Sp1 transcriptional factor
selective recognition of consecutive G sequence in double-stranded DNA by a Zinc(II)–macrocyclic tetraamine complex appended with an anthraquinone, 240
Intermolecular electron-transfer reaction
spectroscopic and electrochemical properties of the Met86Gln mutant of *Achromobacter cycloclastes* pseudoazurin, 79
Ion-pair HPLC
separation and identification of the regioisomers of verdoheme by reversed-phase ion-pair high-performance liquid chromatography, and characterization of their complexes with heme oxygenase, 113
Iron porphyrin
remarkable axial thiolate ligand effect on the oxidation of hydrocarbons by active intermediate of iron porphyrin and cytochrome P450, 123
Iron–sulfur centers
the role of the [2Fe–2S] cluster centers in xanthine oxidoreductase, 43
Iron–sulfur cluster
plant sulfite reductase: molecular structure, catalytic function and interaction with ferredoxin, 27
Isolated chains
changes of tyrosine and tryptophan residues in human hemoglobin by oxygen binding: near- and far-UV circular dichroism of isolated chains and recombined hemoglobin, 93

Lanthanide
effects of lanthanide substitution at Ca^{2+}-site on the properties of the oxygen evolving center of Photosystem II, 85

M–S stretching
M–S vibrational study in three-coordinate thiolato compounds $(NEt_4)_2[M(SC_6H_4\text{-}p\text{-}X)_3]$ and $(NEt_4)_2[M_4(\mu\text{-}SC_6H_4\text{-}p\text{-}Cl)_6]$: M=Cu(I) and Ag(I), X=Cl and Br, 230
Magnetospirillum magnetotacticum
heme-copper oxidase family structure of *Magnetospirillum magnetotacticum* 'cytochrome a_1'-like hemoprotein without cytochrome *c* oxidase activity, 73
Membrane proteins
X-ray structure and the reaction mechanism of bovine heart cytochrome *c* oxidase, 1
α-*meso*-Hydroxyheme
mechanism of heme degradation by heme oxygenase, 33

Metal protein
structure of the zinc-binding site in the crystal structure of a zinc endoprotease from *Streptomyces caespitosus* at 1 Å resolution, 225
Metzincins
structure of the zinc-binding site in the crystal structure of a zinc endoprotease from *Streptomyces caespitosus* at 1 Å resolution, 225
Mn cluster
effects of lanthanide substitution at Ca^{2+}-site on the properties of the oxygen evolving center of Photosystem II, 85
Multiple zinc finger protein
artificial zinc finger peptides: creation, DNA recognition, and gene regulation, 57
Mutant
spectroscopic and electrochemical properties of the Met86Gln mutant of *Achromobacter cycloclastes* pseudoazurin, 79
Mutation effects
mutation effects of a conserved threonine (Thr243) of cytochrome P450nor on its structure and function, 103
Myoglobin
introduction of a specific binding domain on myoglobin surface by new chemical modification, 133

NADPH oxidation
roles of the heme proximal side residues tryptophan409 and tryptophan421 of neuronal nitric oxide synthase in the electron transfer reaction, 163
NO
EPR studies on the photoinduced intermediates of NO complexes in recombinant ferric-Mb trapped at low temperatures, 181
Near-UV CD
changes of tyrosine and tryptophan residues in human hemoglobin by oxygen binding: near- and far-UV circular dichroism of isolated chains and recombined hemoglobin, 93
Nitric-oxide synthase
roles of the heme proximal side residues tryptophan409 and tryptophan421 of neuronal nitric oxide synthase in the electron transfer reaction, 163
Nitrite reductase
plant sulfite reductase: molecular structure, catalytic function and interaction with ferredoxin, 27
Non-ionic detergent and Mg^{2+}
self-cleavage of p2Sp1 RNA with Mg^{2+} and non-ionic detergent (Brij 58), 215

O_2 reduction
X-ray structure and the reaction mechanism of bovine heart cytochrome *c* oxidase, 1
Oxidizing ability
a new thioether-ligated iron porphyrin as a model of a protonated form of P450 active site, 127
Oxo intermediate
structures of reaction intermediates of bovine cytochrome *c* oxidase probed by time-resolved vibrational spectroscopy, 9
Oxygen activation
mechanism of heme degradation by heme oxygenase, 33
structures of reaction intermediates of bovine cytochrome *c* oxidase probed by time-resolved vibrational spectroscopy, 9
Oxygen evolution
effects of lanthanide substitution at Ca^{2+}-site on the properties of the oxygen evolving center of Photosystem II, 85

P450 active site
a new thioether-ligated iron porphyrin as a model of a protonated form of P450 active site, 127
P450scc
real-time fluorescence analysis on molecular mechanisms for regulation of cytochrome P450scc activity upon steroidogenic stimulation in adrenocortical cells, 171
Phage display strategy
artificial zinc finger peptides: creation, DNA recognition, and gene regulation, 57
Phospholipase A_2
crystallization and preliminary X-ray diffraction studies of *Streptomyces* phospholipase A_2 in a calcium-binding form, 221
Photoinduced electron transfer
introduction of a specific binding domain on myoglobin surface by new chemical modification, 133
Photolysis
EPR studies on the photoinduced intermediates of NO complexes in recombinant ferric-Mb trapped at low temperatures, 181
Photosystem II
effects of lanthanide substitution at Ca^{2+}-site on the properties of the oxygen evolving center of Photosystem II, 85
Proton pumping
X-ray structure and the reaction mechanism of bovine heart cytochrome *c* oxidase, 1
Proton-pump
structures of reaction intermediates of bovine cytochrome *c* oxidase probed by time-resolved vibrational spectroscopy, 9
probing molecular structure of dioxygen reduction site of bacterial quinol oxidases through ligand binding to the redox metal centers, 19
Protonated form
a new thioether-ligated iron porphyrin as a model of a protonated form of P450 active site, 127
Pseudoazurin
spectroscopic and electrochemical properties of the Met86Gln mutant of *Achromobacter cycloclastes* pseudoazurin, 79

Raman spectroscopy
the third zinc finger of TFIIIA stabilizes a hairpin structure of the non-coding strand in the internal control region of 5S RNA gene, 207
Recognition of consecutive G-sequences
selective recognition of consecutive G sequence in double-stranded DNA by a Zinc(II)–macrocyclic tetraamine complex appended with an anthraquinone, 240
Recombined Hb
changes of tyrosine and tryptophan residues in human hemoglobin by oxygen binding: near- and far-UV circular dichroism of isolated chains and recombined hemoglobin, 93
Redox metal center
probing molecular structure of dioxygen reduction site of bacterial quinol oxidases through ligand binding to the redox metal centers, 19
Regioisomers of verdoheme
separation and identification of the regioisomers of verdoheme by reversed-phase ion-pair high-performance liquid chromatography, and characterization of their complexes with heme oxygenase, 113
Resonance Raman
structures of reaction intermediates of bovine cytochrome *c* oxidase probed by time-resolved vibrational spectroscopy, 9
the electronic and vibrational structures of iron–oxo porphyrin with a methoxide or cysteinate axial ligand, 141
Resonance Raman spectroscopy
active site structure of SoxB-type cytochrome bo_3 oxidase from thermophilic *Bacillus*, 65
Respiratory chain
active site structure of SoxB-type cytochrome bo_3 oxidase from thermophilic *Bacillus*, 65

RNA cleavage activity
effects of metal ions and catalytic loop sequences on the complex formation of a deoxyribozyme and its RNA substrate, 189
RNA self-cleavage
self-cleavage of p2Sp1 RNA with Mg^{2+} and non-ionic detergent (Brij 58), 215
RNA sequence
self-cleavage of p2Sp1 RNA with Mg^{2+} and non-ionic detergent (Brij 58), 215
RNA substrate
effects of metal ions and catalytic loop sequences on the complex formation of a deoxyribozyme and its RNA substrate, 189

5S RNA gene
the third zinc finger of TFIIIA stabilizes a hairpin structure of the non-coding strand in the internal control region of 5S RNA gene, 207
Silver(I) complex
M–S vibrational study in three-coordinate thiolato compounds $(NEt_4)_2[M(SC_6H_4\text{-}p\text{-}X)_3]$ and $(NEt_4)_2[M_4(\mu\text{-}SC_6H_4\text{-}p\text{-}Cl)_6]$: M=Cu(I) and Ag(I), X=Cl and Br, 230
Siroheme
plant sulfite reductase: molecular structure, catalytic function and interaction with ferredoxin, 27
Site-directed mutagenesis
roles of the heme proximal side residues tryptophan409 and tryptophan421 of neuronal nitric oxide synthase in the electron transfer reaction, 163
SoxB-type heme-copper oxidase
active site structure of SoxB-type cytochrome bo_3 oxidase from thermophilic *Bacillus*, 65
Streptomyces
crystallization and preliminary X-ray diffraction studies of *Streptomyces* phospholipase A_2 in a calcium-binding form, 221
Structure
mutation effects of a conserved threonine (Thr243) of cytochrome P450nor on its structure and function, 103
Sulfite reductase
plant sulfite reductase: molecular structure, catalytic function and interaction with ferredoxin, 27
Synthetic oligoribonucleotide
self-cleavage of p2Sp1 RNA with Mg^{2+} and non-ionic detergent (Brij 58), 215

Tat
in vitro selection of aptamers that act with Zn^{2+}, 197
Terminal quinol oxidase
probing molecular structure of dioxygen reduction site of bacterial quinol oxidases through ligand binding to the redox metal centers, 19
TFIIIA
the third zinc finger of TFIIIA stabilizes a hairpin structure of the non-coding strand in the internal control region of 5S RNA gene, 207
Thioether-ligated iron porphyrin
a new thioether-ligated iron porphyrin as a model of a protonated form of P450 active site, 127
Thiolato cluster
M–S vibrational study in three-coordinate thiolato compounds $(NEt_4)_2[M(SC_6H_4\text{-}p\text{-}X)_3]$ and $(NEt_4)_2[M_4(\mu\text{-}SC_6H_4\text{-}p\text{-}Cl)_6]$: M=Cu(I) and Ag(I), X=Cl and Br, 230
Thiolato complex
M–S vibrational study in three-coordinate thiolato compounds $(NEt_4)_2[M(SC_6H_4\text{-}p\text{-}X)_3]$ and $(NEt_4)_2[M_4(\mu\text{-}SC_6H_4\text{-}p\text{-}Cl)_6]$: M=Cu(I) and Ag(I), X=Cl and Br, 230
Transcriptional activator
CO sensing and regulation of gene expression by the transcriptional activator CooA, 51
Tryptophan
roles of the heme proximal side residues tryptophan409 and tryptophan421 of neuronal nitric oxide synthase in the electron transfer reaction, 163

Verdoheme
mechanism of heme degradation by heme oxygenase, 33
Verdoheme–heme oxygenase-1 complex
separation and identification of the regioisomers of verdoheme by reversed-phase ion-pair high-performance liquid chromatography, and characterization of their complexes with heme oxygenase, 113

X-ray crystallographic structure
X-ray structure and the reaction mechanism of bovine heart cytochrome *c* oxidase, 1
X-ray diffraction
crystallization and preliminary X-ray diffraction studies of *Streptomyces* phospholipase A_2 in a calcium-binding form, 221
Xanthine oxidoreductase
the role of the [2Fe–2S] cluster centers in xanthine oxidoreductase, 43

Zinc coordination geometry
structure of the zinc-binding site in the crystal structure of a zinc endoprotease from *Streptomyces caespitosus* at 1 Å resolution, 225
Zinc finger
the third zinc finger of TFIIIA stabilizes a hairpin structure of the non-coding strand in the internal control region of 5S RNA gene, 207
Zinc protease
structure of the zinc-binding site in the crystal structure of a zinc endoprotease from *Streptomyces caespitosus* at 1 Å resolution, 225
Zn ion
in vitro selection of aptamers that act with Zn^{2+}, 197
Zn^{2+}–acridinyl-cyclen
selective recognition of consecutive G sequence in double-stranded DNA by a Zinc(II)–macrocyclic tetraamine complex appended with an anthraquinone, 240
Zn^{2+}–anthraquinonyl-cyclen
selective recognition of consecutive G sequence in double-stranded DNA by a Zinc(II)–macrocyclic tetraamine complex appended with an anthraquinone, 240